

Product Type: Differential Adhesive Transfer Tape for ATG

Colour: Translucent

Roll Size: 12mm Widths in 33m Length
NB Special lengths available on 3 Inch cores on request conventionally wound ex overseas

Adhesive: Acrylic Modified

Description: A reverse wound transfer tape with transparent permanent clear OPEN SIDE and transparent removable solvent acrylic CLOSED SIDE reinforced with fibreglass and a bi-siliconized white coloured paper liner 90gsm.

Application: A multitude of applications within the advertising, point-of-sale, display and print industries for the temporary holding of items. The open side to be stuck to the permanent surface and then mounted to the peelable surface.
NB Not recommended for extended periods on glass where facing UV (try U300 filmic double sided).

Technical Details:

Gauge:	0.035mm
180° Peel Adhesion AFERA 4001:	Open: 2.5 N/cm Closed: 1.1 N/cm
Service Temperature:	-30°C to 75°C
Short Term Temperature:	-40°C to 85°C

Surface Preparation: The surface on which the tape is to be used must be clean, dry and free from grease and dust. Remember that pressure sensitive adhesive must be applied with the maximum possible pressure in order to achieve maximum adhesion levels. The recommended application temperature is between 20°C and 30°C.

Storage: Tapes stored below the minimum application temperature will require warming up to that level before use. Up to 24 hours may be required for this to take place.



DISCLAIMER:

Values: All values presented have been determined by standard test methods and are average values only.

Recommendations: Whilst we are happy to recommend products from our range for applications, it is imperative that the customer/user complete their own tests to determine suitability for their application under "working conditions" and if longevity is important, that ageing tests be carried out.

Warranty: We can only warranty our products to the level that they are consistent with our Product Information Sheet values

BUT CANNOT accept any responsibility or liability direct or consequential for loss or damage caused as a result of our recommendations.

